

José Pepiol

1.^a PROVA A (Dezembre)

2.^a PROVA B (Abril)

NOTA FINAL $\text{MAX} (B, 40\% \cdot A + 60\% B)$

PROVA NIVELL

$$\frac{2}{3} - \frac{1}{2}$$

~~$$\frac{2}{3} - \frac{1}{2} = \frac{4}{6} - \frac{3}{6} = \frac{1}{6}$$~~

$$\frac{2}{3} = \frac{1}{2} =$$

$$\frac{5}{8} - \frac{2}{8} = \frac{3}{8}$$

$$2 = 8$$

$$\frac{2}{14} = \frac{1}{7}$$

$$\frac{2}{3} - \frac{1}{2}$$

$$\frac{4}{6} - \frac{3}{6} = \frac{1}{6}$$

$$\frac{2}{3} = \frac{1}{2} = \frac{4}{6} - \frac{3}{6} = \frac{1}{6}$$

$$\frac{5}{8} - \frac{2}{8} = \frac{3}{8}$$

$$2 = 2, 4, 6$$

$$3 = 6, 9, 12$$

$$-\frac{2}{9} + \frac{1}{4} + \frac{11}{18} = \frac{-8}{36} + \frac{9}{36} + \frac{22}{36} = \frac{23}{36}$$


$$3x + 8 = 5x + 2$$

$$8 - 2 = 5x - 3x$$

$$6 = 2x$$

$$\frac{6}{2} = x$$

$$3 = x$$



$$-8 - 2 = -10$$

$$-(-8) = 8$$

$$3(x - 2) - (2x - 1) = 0$$

$$3x - 6 - 2x + 1 = 0$$

$$x = 5$$

1

RECORDATORI

Simplifica, reduint al màxim : (a) $\frac{2}{3} - \frac{5}{2} = \frac{4}{6} - \frac{15}{6} = \frac{-11}{6}$

(b) $2 \cdot \left(\frac{1}{5} - \frac{3}{10} \right) = 2 \cdot \left(\frac{2}{10} - \frac{3}{10} \right) = 2 \cdot \left(-\frac{1}{10} \right) = \frac{-2}{10} = \frac{-1}{5}$

(c) $\frac{5}{6} - \frac{2}{15} = \frac{25}{30} - \frac{4}{30} = \frac{21}{30} = \frac{7}{10}$

(d) $\frac{2}{9} - \frac{7}{15} = \frac{10}{45} - \frac{21}{45} = \frac{-11}{45}$