

S'estan configurant les taules de mòduls

This script generated 4 warnings - [Scroll to the first warning](#)

slideshow

```
(oci8po): SELECT constraint_name FROM user_constraints WHERE lower(constraint_name) = 'mlsruid_id_pk'
```

```
(oci8po): SELECT constraint_name FROM user_constraints WHERE lower(constraint_name) = 'mlsruid_id2_pk'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id2_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id3_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id4_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id5_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id6_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id7_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id8_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id9_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id10_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id11_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id12_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id13_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id14_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id15_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id16_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id17_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id18_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id19_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id20_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id21_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id22_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id23_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id24_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id25_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlsruid_id26_seq'
```

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id27_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id28_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id29_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id30_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id31_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id32_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id33_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id34_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id35_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id36_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id37_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id38_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id39_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id40_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id41_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id42_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id43_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id44_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id45_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id46_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id47_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id48_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id49_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id50_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id51_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id52_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id53_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id54_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id55_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id56_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id57_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id58_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id59_seq'

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id94_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id95_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id96_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id97_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id98_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id99_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id100_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id101_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id102_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id103_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id104_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id105_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id106_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id107_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id108_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id109_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id110_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id111_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id112_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id113_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id114_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id115_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id116_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id117_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id118_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id119_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id2_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id3_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id4_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id5_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id6_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllslid_id7_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id42_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id43_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id44_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id45_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id46_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id47_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id48_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id49_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id50_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id51_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id52_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id53_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id54_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id55_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id56_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id57_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id58_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id59_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id60_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id61_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id62_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id63_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id64_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id65_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id66_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id67_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id68_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id69_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id70_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id71_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id72_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id73_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id74_trg'
```

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id75_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id76_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id77_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id78_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id79_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id80_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id81_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id82_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id83_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id84_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id85_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id86_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id87_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id88_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id89_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id90_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id91_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id92_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id93_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id94_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id95_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id96_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id97_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id98_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id99_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id100_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id101_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id102_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id103_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id104_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id105_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id106_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id107_trg'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mlslid_id108_trg'

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id109_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id110_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id111_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id112_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id113_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id114_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id115_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id116_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id117_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id118_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id119_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllid_id120_trg'
```

```
(oci8po): SELECT constraint_name FROM user_constraints WHERE lower(constraint_name) = 'mllidcapt_id_pk'
```

```
(oci8po): SELECT constraint_name FROM user_constraints WHERE lower(constraint_name) = 'mllidcapt_id2_pk'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id2_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id3_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id4_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id5_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id6_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id7_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id8_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id9_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id10_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id11_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id12_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id13_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id14_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id15_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id16_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id17_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id18_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id19_seq'
```

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id87_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id88_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id89_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id90_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id91_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id92_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id93_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id94_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id95_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id96_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id97_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id98_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id99_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id100_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id101_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id102_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id103_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id104_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id105_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id106_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id107_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id108_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id109_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id110_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id111_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id112_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id113_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id114_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id115_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id116_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id117_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id118_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id119_seq'

(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id120_seq'

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id121_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id122_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id123_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id124_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id125_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id126_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id127_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id128_seq'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id2_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id3_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id4_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id5_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id6_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id7_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id8_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id9_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id10_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id11_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id12_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id13_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id14_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id15_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id16_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id17_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id18_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id19_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id20_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id21_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id22_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id23_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id24_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id25_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id127_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id128_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id129_trg'
```

```
(oci8po): SELECT object_name FROM user_objects WHERE lower(object_name) = 'mllidcapt_id130_trg'
```

```
(oci8po): CREATE TABLE mllideshow ( id NUMBER(10) NOT NULL , course NUMBER(10) DEFAULT 0 NOT NULL, name VARCHAR2(255) DEFAULT '' NOT NULL, location CLOB NOT NULL, layout NUMBER(10) DEFAULT 0 NOT NULL, filename NUMBER(10) DEFAULT 0 NOT NULL, delaytime NUMBER(10) DEFAULT 7 NOT NULL, centred NUMBER(10) DEFAULT 0 NOT NULL, autobgcolor NUMBER(10) DEFAULT 0 NOT NULL, timemodified NUMBER(10) DEFAULT 0 NOT NULL, htmlcaptions NUMBER(10) DEFAULT 1 NOT NULL, CONSTRAINT mllid_id2_pk PRIMARY KEY (id) )
```

955: ORA-00955: name is already used by an existing object

```
ADODConnection._Execute(CREATE TABLE mllideshow (
id NUMBER(10) NOT NULL ,
course NUMBER(10) DEFAULT 0 NOT NULL,
name VARCHAR2(255) DEFAULT..., false) % line 775, file: adodb-oci8.inc.php
ADODB_oci8.Execute(CREATE TABLE mllideshow (
id NUMBER(10) NOT NULL ,
course NUMBER(10) DEFAULT 0 NOT NULL,
name VARCHAR2(255) DEFAULT..., true) % line 89, file: dmllib.php
execute_sql(CREATE TABLE mllideshow (
id NUMBER(10) NOT NULL ,
course NUMBER(10) DEFAULT 0 NOT NULL,
name VARCHAR2(255) DEFAULT..., true) % line 2302, file: dmllib.php
execute_sql_arr(Array[10]) % line 635, file: ddllib.php
install_from_xmldb_file(/dades/html/moodle/mod/slideshow/db/install.xml) % line 397, file: adminlib.php
```

Error [Scroll to next warning](#)

```
(oci8po): COMMENT ON TABLE mllideshow IS 'Defines slideshow instance'
```

Èxit

```
(oci8po): CREATE SEQUENCE mllid_id119_seq START WITH 1 INCREMENT BY 1 NOMAXVALUE
```

Èxit

```
(oci8po): CREATE TRIGGER mllid_id120_trg BEFORE INSERT ON mllideshow FOR EACH ROW BEGIN IF :new.id IS NULL THEN SELECT mllid_id119_seq.nextval INTO :new.id FROM dual; END IF; END;
```

Èxit

```
(oci8po): CREATE TABLE mllideshow_captions ( id NUMBER(10) NOT NULL , slideshow NUMBER(10) DEFAULT 0 NOT NULL, image CLOB NOT NULL, title CLOB NOT NULL, caption CLOB NOT NULL, CONSTRAINT mllidcapt_id2_pk PRIMARY KEY (id) )
```

955: ORA-00955: name is already used by an existing object

```
ADODConnection._Execute(CREATE TABLE mllideshow_captions (
id NUMBER(10) NOT NULL ,
slideshow NUMBER(10) DEFAULT 0 NOT NULL,
image CLOB NOT..., false) % line 775, file: adodb-oci8.inc.php
ADODB_oci8.Execute(CREATE TABLE mllideshow_captions (
id NUMBER(10) NOT NULL ,
slideshow NUMBER(10) DEFAULT 0 NOT NULL,
image CLOB NOT...) % line 89, file: dmllib.php
execute_sql(CREATE TABLE mllideshow_captions (
id NUMBER(10) NOT NULL ,
slideshow NUMBER(10) DEFAULT 0 NOT NULL,
image CLOB NOT..., true) % line 2302, file: dmllib.php
execute_sql_arr(Array[10]) % line 635, file: ddllib.php
install_from_xmldb_file(/dades/html/moodle/mod/slideshow/db/install.xml) % line 397, file: adminlib.php
```

[Scroll to previous warning](#) **Error** [Scroll to next warning](#)

```
(oci8po): COMMENT ON TABLE mllideshow_captions IS 'stores slideshow captions'
```

Èxit

```
(oci8po): CREATE SEQUENCE mllidcapt_id128_seq START WITH 1 INCREMENT BY 1 NOMAXVALUE
```

Èxit

```
(oci8po): CREATE TRIGGER mllidcapt_id130_trg BEFORE INSERT ON mllideshow_captions FOR EACH ROW BEGIN IF :new.id IS NULL THEN SELECT mllidcapt_id128_seq.nextval INTO :new.id FROM dual; END IF; END;
```

Èxit

(oci8po): INSERT INTO mllog_display(module, action, mtable, field) VALUES ('slideshow', 'add', 'slideshow', 'name')

1: ORA-00001: unique constraint (USU241.MLLOGDISP_MODACT_UIX) violated

```
ADOConnection._Execute(INSERT INTO mllog_display(module, action, mtable, field) VALUES ('slideshow', 'add', 'slideshow', 'name'), false) % line 775, file: ado
ADODB_oci8.Execute(INSERT INTO mllog_display(module, action, mtable, field) VALUES ('slideshow', 'add', 'slideshow', 'name')) % line 89, file: dmllib.php
execute_sql(INSERT INTO mllog_display(module, action, mtable, field) VALUES ('slideshow', 'add', 'slideshow', 'name'), true) % line 2302, file: dmllib.php
execute_sql_arr(Array[10]) % line 635, file: ddllib.php
install_from_xmldb_file(/dades/html/moodle/mod/slideshow/db/install.xml) % line 397, file: adminlib.php
```

[Scroll to previous warning](#) **Error** [Scroll to next warning](#)

(oci8po): INSERT INTO mllog_display(module, action, mtable, field) VALUES ('slideshow', 'update', 'slideshow', 'name')

1: ORA-00001: unique constraint (USU241.MLLOGDISP_MODACT_UIX) violated

```
ADOConnection._Execute(INSERT INTO mllog_display(module, action, mtable, field) VALUES ('slideshow', 'update', 'slideshow', 'name'), false) % line 775, file:
ADODB_oci8.Execute(INSERT INTO mllog_display(module, action, mtable, field) VALUES ('slideshow', 'update', 'slideshow', 'name')) % line 89, file: dmllib.php
execute_sql(INSERT INTO mllog_display(module, action, mtable, field) VALUES ('slideshow', 'update', 'slideshow', 'name'), true) % line 2302, file: dmllib.php
execute_sql_arr(Array[10]) % line 635, file: ddllib.php
install_from_xmldb_file(/dades/html/moodle/mod/slideshow/db/install.xml) % line 397, file: adminlib.php
```

[Scroll to previous warning](#) **Error** [Scroll to continue button](#)

slideshow tables could NOT be set up successfully!

Continua